KUDRYAVTSEV, N.T.; MEL'NIKOVA, M.M.; ZHAGRIN, V.Ye.

Some regularities of the cathodic process in the electrodeposition of iron-zinc alloy from a boron hydrofluoric electrolyte. Zhur. prikl. khim. 37 no.9:1946-1951 S '64.

(MIRA 17:10)

AGAFONOV, V.A., inzh., ZHAGROV, Ye.A., inzh.

Investigating sliding bearings of high-speed machines. Vest.mash.
40 no.12:29-32 D '60.
(Bearings (Machinery))          (MIRA 13:12)

AUTHORS:    Agafonov, V. A., and Zhagrov, Ye. A., Engineers

TITLE:    An investigation method for journal bearings of high-speed machines

PERIODICAL:    Vestnik mashinostroyeniya, no. 12, 1960, 29 - 32

TEXT:    The Tsentral'nyy kotloturbinnyy institut imeni I. I. Polzunova (Central Boiler and Turbine Institute imeni I. I. Polzunov) has conducted experiments and studied the behavior of the oil wedge in plain journal bearings of types used for turbine shafts. The special test rig (Fig. 1) is described. The bushings were made of transparent organic sheet glass, a thermocouple built in to contact oil inside, small 2.25 w light bulbs inserted into the glass bushings close to work surface, and the oil film photographed with a "Kiyev" camera. The second (not studied) shaft bearing in the rig was of self-adjusting radial-spherical type. The maximum shaft velocity was 6,000 rpm, oil temperature 50 - 60°C, sliding velocity 30 - 35 m/sec, and load up to 6 kg/cm². Static load was produced by a lever system, and centrifugal load by weights on the rotor wheel. A photo shows clearly that the oil film split into filaments in the upper half of the bush. Pressure within the oil film was measured with an especially built set. Its work principle

Card 1/4

An investigation method for...

is frequency modulation. The high-frequency oscillator is built on an especially chosen П1Е (P1Ye) transistor and has contactless communication to the receiver. The produced signal frequency is from zero to 20 kc, which is more than sufficient for the purpose. The article includes detailed description of this system operation. The oscillator was enclosed into an organic glass cylinder together with the feed unit consisting of 1.5 voltaic cells and placed into the shaft bore. The measured values were recorded with a МПО-2 (MPO-2) loop oscillograph. The relative gap in this bearing was 0.0023 (taking the bush length for unit). A considerable zone of pressure below the atmospheric was obviously present in the half of the bush free of load. It was stated in numerous measurements of the hydrodynamic pressure distribution that vacuum in the half free of load bearing reached 700 mm Hg and moreat high sliding speed, despite the relatively high oil feed pressure (up to 3.5 kg/cm²). The trajectory of the shaft axis motion was measured with an electronic instrument designed at the Central Boiler and Turbine Institute. It included small inductive pickups placed in two planes at right angles. The method may be employed for determining the oil film depth in bearings. There are 5 figures and 1 Soviet-bloc reference.

Card 2/4

ZHAGROVA, L.F., inzhener

Static characteristics and critical slippage of a machine with
transverse-longitudinal excitation. Izv. vys. ucheb. zav.; energ.
5 no.7:1-8 Jl '62.

(MIRA 15:7)

1. Moskovskiy ordena Lenina energeticheskiy institut. Predstavlena
kafedroy elektricheskikh stantsiy.

(Electric machinery)

ZHAGROVA, L.F., inzh.

Dynamic stability of machines with longitudinally-transverse field excitation and method for compensating the reactive resistance of the rotor winding. Izv. vys. ucheb. zav.; energ. 5 no.9:1-8 S '62.
(MIRA 15:10)

1. Moskovskiy ordena Lenina energeticheskiy institut. Predstavlena kafedroy elektricheskikh stantsiy.
(Electric machinery)

DANILEVICH, M.G.; ZHAGULO, Ye.M.; KURILEVA, O.M.

Scarlet fever today and leading problems in its control. Pediatriia
39 no.4:3-10 Jl-Ag '56.

(MLRA 9:12)

1. Iz Leningradskogo pediatricheskogo meditsinskogo instituta (dir. -
prof. N.T.Shutova) i kafedry detskikh infektsionnykh bolezney (zav. -
prof. M.G.Danilevich)
     (SCARLET FEVER, prev. and control
          in Russia)

ZHAGPAROVA, M. Zh.

20943 Zhagparova, M. Zh.  K Voprosu o primenenii metoda RSK pri pleupop-
nevmonii (kebeneke) koz.  Izvestiya Akad. Nauk Kazakh.  SSR,  No. 61, Seriya
biol., vyp. 4, 1949, s. 39048.—Rezyume na Kazakh. yaz.

SO:  LETOPIS ZHURNAL STATEY – Vol. 28, Moskva, 1949

ZHAGRIN, A.G.

Method for the removal of neuro-ectodermal cerebral tumors [with
summary in English]. Vop.neirokhir. 22 no.3:45-47 My-Je '58
(MIRA 11:8)

1. Nauchno-issledovatel'skiy ordena Trudovogo Krasnogo Znameni
institut neyrokhirurgii imeni akad. N.N. Burdenko AMN SSSR.
(BRAIN NEOPLASMS, surgery
neuro-ectodermal tumors (Rus))

KOREYSHA, L.A., prof.; ZHAGRIN, A.G.; LYASS, F.M.; SPIRIN, B.G.; GABELOVA, N.A., (Moskva)

Study of hemodynamics in patients with focal diseases of the central nervous system with the aid of labelled sodium. Vop. neirokhir. 27 no.1 Ja-F '63.

(MIRA 16:5)

1. Nauchno-issledovatel'skiy institut neyrokhirurgii imeni N.N.Burdenko AMN SSSR.
    (NERVOUS SYSTEM—DISEASES)  (SODIUM ISOTOPES)
                (BLOOD—CIRCULATION)

ZHAGRIN, A. G.

ZHAGRIN, A. G. - "Surgical Approach for the Removal of Cranioorbital Tumors."
Acad Med Sci USSR, Moscow, 1954.
(Dissertation for the degree of Candidate in Sciences)

SO: Knizhnaya Letopis', No. 33, 1955, pp. 85-87

ZHAGRIN, A.G.

Anatomical characteristics of the anterior cranial fossa and the orbit important in simultaneous surgery of the orbit and cranial cavity. Vop. neirokhir. 18 no.5:10-17 S -O '54.          (MLRA 7:11)

1. Iz Instituta neyrokhirurgii imeni N.N.Burdenko Akademii meditsinskikh nauk SSSR.
        (ORBIT, surgery,
           simultaneous surg. of orbit & cranium, anat. aspects)
        (CRANIUM, surgery,
           simultaneous surg. of orbit & cranium, anat. aspects)

ZHAGRIN, A.G.

Surgical approach to cranio-orbital tumors. Vop.neirokhir. 19 no.3:
37-43 My-Je '55.
(MLRA 8:5)

1. Iz Nauchno-issledovatel'skogo ordena Trudovogo Krasnogo Znameni
instituta neyrokhirurgii imeni akad. N.N.Burdenko Akademii medi-
tsinskikh nauk SSSR.
(ORBIT, neoplasms,
surg., approach)

ACC NR: AP6021466

SOURCE CODE: UR/0143/66/000/011/0085/0086

INVENTOR: Zhagullo, O. M.

ORG: None

TITLE: An automatic color pyrometer. Class 42, No. 182368

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 11, 1966, 85-86

TOPIC TAGS: optic pyrometer, electronic measurement

ABSTRACT: This Author's Certificate introduces an automatic color pyrometer which contains a pickup connected through a synchronous switch to an alternating square pulse circuit followed by a circuit for comparing two signals. The unit is designed for eliminating the effect which the finite limits of the dynamic range in the electronic channel of the measurement system have on the operation of the pyrometer over a wide temperature interval. A blocking generator in the comparison circuit of the pyrometer is connected at the output through a controlled diode to the reversible electric motor of the indicator.

Card 1/2

UDC: 536.521.082.52

ACC NR: AP6021466



1—pickup; 2—measurement system; 3—comparison circuit; 4—reversivle electric motor

SUB CODE: 09, 14/ SUBM DATE: 20Feb65

Card 2/2

ZHAGULO, P.M.

Automation of machining on centerless grinding machines at the
Gor'kiy Automobile Plant.  Trudy Stud. nauch. ob-va LIEI no.3:
81-87  '59.
(MIRA 16:10)

KUZ*MICHEVA, A.T.; ZHAGULLO, Ye.M.

Some tasks in the control of Botkin's disease in children. Top.
okh.mat.i det. 8 no.3:3-8 Mr '63.

(MIRA 16:5)

1. Iz kafedry infektsionnykh bolezney u detey (zav. A.T. Kuz'-
micheva) Leningradskogo pediatricheskogo meditsinskogo instituta
(dir. Ye.P. Semenova).

(HEPATITIS, INFECTIOUS)

ZHAGULO, Ye. M.; KURYLEVA, O. M.; DANILEVICH, M. G.

"Modern status of the problem of combatting scarlet fever."

Report submitted by the 13th All-Union Congress of Hygienists,
Epidemiologists and Infectionists. 1959

ZHAGVARAL, N., kand.ekonom.nauk, red.

[The Mongolian People's Republic] Mongol'skaia Narodnaia
Respublika. Ulan-Bator, Komitet nauk Mongol'skoi Narodnoi
Respubliki, 1956.  123 p.
                  (Mongolia)                           (MIRA 13:7)

PROCESSES AND PROPERTIES INDEX

**The Behaviour and Drawbacks of Refractories used in the Production of High-Grade Steels.** A. Zhuk. (Stal, 1939, No. 4-5, pp. 50-59). (In Russian). An extensive review is presented of the various types of refractory products (bricks, stoppers, nozzles, mould stools, hot-top mould linings, ladle linings, &c.) and of the service they have given. Silica fireclay, andalusite, carburised fireclay, graphite, magnesite, magnesium silicate (forsterite), fused magnesite and dolomite refractory products are all considered.

ASB-SLA   METALLURGICAL LITERATURE CLASSIFICATION

**Aluminothermal synthesis of magnesium aluminate.**
R. L. Pevsner, A. G. Zhak, A. S. Miasnikov, B. V.
Ivanov, and G. Lomakin. Compt. rend. acad. sci.
U.R.S.S., 55, 363-35 (1947); abstracted in Chem. Zentr.,
1947, II [1/2] 73.—So-called "thermitospinels" are made
by a new process based on the Goldschmidt method, i.e.,
without using electrical energy. The starting material
was remelted aluminum 34, iron scale 60, and magnesite
5%. A cast piece of thermitospinel, gray in color and 50
mm. thick, showed a fine-crystalline exterior zone and a
dense columnar interior zone with slate-like crystals, high
porosity, and metallically bright fracture. Index of re-
fraction was 1.720 ± 0.003. Small amounts of colorless
glass (refractive index 1.540) and a black mass of probably
iron oxide or metallic iron were present. Absorption was
1.85%, specific gravity 3.38, and apparent porosity 6.25%.
M.Ha.

ZHAK, A.M., inzh.

Making ferromanganese from a sinter of Nikopol' deposit manganese ores. Met. i gornorud. prom. no.5:9-10 S-O '63.

1. Metallurgicheskiy zavod im. Petrovskogo.
(MIRA 16:11)

KOROBOV, I.I., inzh.; SUROVOV, V.I., inzh.; GONCHAROV, P.G., inzh.; ZHAK, A.M., inzh.

Process of making ferromanganese in the blast furnace. Stal' 21 no.2:107-108 F '61.
(MIRA 14:3)

1. Metallurgicheskiy zavod im. Petrovskogo.
(Ferromanganese)

GIMMEL'FARB, A.A., kand. tekhn. nauk; LIKHORADOV, A.P.; ZHEMBUS, M.D.;
ZHAK, A.M.

Increasing the strength of fluxed sinter. Met. i gornorud.
prom. no.6:7-11 N-D '65.
(MIRA 18:12)

LIKHORADOV, A.P.; ZHIGULIN, V.I.; ZHEMBUS, M.D.; RUDAKOV, V.F.; KOTOV, K.I.; ZHAK, A.M.; TSYMBALYUK, V.Yu.; FILIMONOV, V.V.

Service of the lining and cooling equipment of a blast furnace in the smelting of ferromanganese. Metallurg 10 no.10:12-14 O '65.

(MIRA 18:10)

1. Zavod im. Petrovskogo.

Crucibles for high-frequency steel-melting furnace.
A. T. Zhak and B. V. Ivanov. *Ogneupory* 7, 157-61
(1939).—Batches suggested for crucibles are: (1) fused
MgO with Ca(OH)₂ as binder; (2) fused MgO with a
binder of wet ground fused MgO; (3) MgO alone; and
(4) burnt dolomite.                    R. B. Stefanowsky

PROCESSES AND PROPERTIES INDEX

CA

*19*

The quality requirements of refractories in the production of special steels. A. E. Zink. Openshory 1939, No. 5, 312-30; Khim. Referat. Zhur. 1939, No. 9, 77.—Requirements for refractories used in blast furnaces, elec. furnaces, steel-pouring ladles, etc., are described. New highly refractory materials and light refractories are discussed. W. R. Henn

ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION

The use of joining material and sulfite liquor in the casting of refined steels. A. T. Zhuk and B. P. Mokhanovskii. *Ukrainskaya Stal S*, No. 4, 67-8 (1937); *Chem. Zentr.* 1937, II, 3942.—The use of a mixt. of quartz sand 65, clay 10 and foundry graphite 25% for the production of glazes on steel mill chill molds for refined steels is reported. Data are also given on the use of a mixt. of 70% quartz sand and 30% refractory clay which, after the drying, is painted on the chill molds with sulfite liquor.    M. G. M.

METALLURGICAL LITERATURE CLASSIFICATION

Zhak, A. T. LIFE AND DISADVANTAGES OF REFRAC-TORIES IN THE METALLURGY OF SPECIAL STEELS. Stal, 1939 [4-5] 50-60.—Various refractories, their application in metallurgical aggregates, and their disadvantages are discussed. The following refractories are reviewed: (1) silica brick, (2) siphon brick, (3) stoppers, (4) grog brick, (5) andalusite stoppers, (6) carbon grog brick, (7) magnesite brick, (8) dolomite brick, and (9) dunite brick.

Zhak, A.-T. Natural semi-acid refractories. Ogneupory, 3 [10] 743–44 (1935).—For semi-acid refractories manufactured in Germany, a rock called "Klebsand" is used, representing a natural mixture of quartz and sand. Typical analyses and P.C.E. are as follows:

| Occurrence of "Kleb-sand" | $SiO_2$ | $Al_2O_3$ | $TiO_2$ | $Fe_2O_3$ | $K_2O$ | $CaO$ | Igni-tion loss | | P.C.E. |
|---|---|---|---|---|---|---|---|---|---|
| Ludwig | 83.8 | 10.1 | 0.8 | 0.4 | | | 2.6 | 99.4 | 35 |
| Kisenberg | 90.8 | 8.2 | | 1.0 | | | 2.0 | 100.0 | |
| Arlesier | 83.3 | 7.7 | 0.5 | 0.9 | 0.4 | | 2.6 | 100.4 | 33 |
| Durbig | 89.8 | 6.7 | | 1.1 | | 0.2 | 2.6 | 100.4 | |

Zhak, A. T.  QUALITY REQUIREMENTS OF REFRACTORIES IN THE PRODUCTION OF SPECIAL STEELS. *Ogneupory*, 7 [5] 312-30 (1939).—The properties of refractories used in the production of different types of steels are enumerated.

**Zhak, A. T.** CANISTER BRICK WITH SILICA AS BINDER. *Kachestvennaya Stal,* 5 [9] (1937).—A note on the importance of high softening point for ganister brick used in open-hearth and electric furnaces is presented. Attempts were made to increase the softening point of lime ganister brick by using a clay-like wet-milled quartzite as binder. Details on the preparation of this quartzite are given.

ZHAK, A.T.

Zhak, A. T. SILICA BRICK OF THE BELORETZKII WORKS
IN THE ARCHES OF OPEN-HEARTH FURNACES. *Ogneupory*,
3 [9] 642-47 (1935).

6

ZHAK, A.T.

Zhak, A. T., Ivanov, b. V., and Kirillov, P. . .
DRATED DOLOMITE BRICK AS SUBSTITUTE FOR MAGNESITE.
Stal, 1940, [7] 35-43. — The service and life of dehy-
drated dolomite brick in the walls of an electric arc steel-
melting furnace were studied. The authors reached the
following conclusions: (1) The comparatively high CaO
content of this brick does not have a destructive influence
on the life of the brick in the walls of the furnace. (2)
The mortar for the laying of dolomite brick is characterized
by the presence of a small quantity of a fusible mineral,
such as quartz and feldspar. The addition of slightly
melting feldspar aids the binding of the mortar with brick
without decreasing the refractoriness. (3) The durability
of dolomite brick in the walls of an electric arc furnace is
about 2 to 3 times greater than that of magnesite brick.

ZHAK, A.T.

Zhak, A. T., and Ivanov, B. V. CRUCIBLES FOR HIGH-
FREQUENCY STEEL-MELTING FURNACES. *Ogneupory.*
[2-3] 157-61 (1939).—The life of crucibles for high-fre-
quency steel-melting furnaces is discussed. The problem
of increasing the stability of linings of crucibles can be
solved only by extensive studies. Several refractory lin-
ings are analyzed: (1) a mix of melted magnesite with a
bond of lime milk, (2) a mix of melted magnesite with a
bond of wet ground melted magnesite, (3) a mix used in
Sweden composed of MgO, and (4) a dolomite mix used in
England.

GROUP

ZHAK, A. T.

Zhak, A. T.  SILICA BRICK OF THE BELORETZKII WORKS
IN THE ARCHES OF OPEN-HEARTH FURNACES.  Ogneupory,
3 9 12-17 (1935).

ZHAK, A. T.

Zhak, A. T., Ivanov, B. V., and Kirillov, P. DEHYDRATED DOLOMITE BRICK AS SUBSTITUTE FOR MAGNESITE Stal, 1940 (7) 38-43.—The service and life of dehydrated dolomite brick in the walls of an electric arc steelmelting furnace were studied. The authors reached the following conclusions: (1) The comparatively high CaO content of this brick does not have a destructive influence on the life of the brick in the walls of the furnace. (2) The mortar for the laying of dolomite brick is characterized by the presence of a small quantity of natural minerals, such as quartz and feldspar. The addition of slightly melting feldspar aids the binding of the mortar with brick without decreasing the refractoriness. (3) The durability of dolomite brick in the walls of an electric arc furnace is about 2 to 3 times greater than that of magnesite brick.

Zhak, A. T. Silica brick of the Bnlombtakil works in the arches of open-hearth furnaces. *Ogneupory,* 3 [9]642-47 (1935).

Zhak, A. T., and Ivanov, B. V. CRUCIBLES FOR HIGH-FREQUENCY STEEL-MELTING FURNACES. Ogneupory. 7 [2-3] 157-64 (1939).—The life of crucibles for high-frequency steel-melting furnaces is discussed. The problem of increasing the stability of linings of crucibles can be solved only by extensive studies. Several refractory linings are analyzed: (1) a mix of melted magnesite with a bond of lime milk, (2) a mix of melted magnesite with a bond of wet ground melted magnesite, (3) a mix used in Sweden composed of MgO, and (4) a dolomite mix used in England.

Zhak, A.-T., Ivanov, B. V., and Kirillov, P. Dehy-drated dolomite brick as substitute for magnesite. Stal, 1940 [7] 38-43.—The service and life of dehy-drated dolomite brick in the walls of an electric arc steel-melting furnace were studied. The authors reached the following conclusions: (1) The comparatively high CaO content of this brick does not have a destructive influence on the life of the brick in the walls of the furnace. (2) The mortar for the laying of dolomite brick is characterized by the presence of a small quantity of natural minerals, such as quartz and feldspar. The addition of slightly melting feldspar aids the binding of the mortar with brick without decreasing the refractoriness. (3) The durability of dolomite brick in the walls of an electric arc furnace is about 2 to 3 times greater than that of magnesite brick.

ASMAYEV, A.; ZHAK, B.

High-frequency amplifier for the "Baltika" radio receiver.
Radio no.5:53 My '55.                          (MLRA 8:6)
          (Amplifiers, Electron tube)

AUTHOR:     Zhak, D.                                    SOV-2-58-9-10/15

TITLE:      V.I. Isakov, M.A. Korolev "Planning   of Mechanized Calcu-
            lation    - Gosstatizdat, 1957, 244 pages (V.I. Isakov,
            M.A. Korolev, Proyektirovaniye mekhanizirovannogo ucheta -
            Gosstatizdat, 1957, 244 str.)

PERIODICAL: Vestnik statistiki, 1958, Nr 9, p 67 - 71   (USSR)

ABSTRACT:   This is a review of the above-mentioned book.

Card 1/1

ZHAK, D. K.

USSR/Mathematics - Equations, Integral                    Oct 1947
    Mathematics - Operational Theory

"Calculation of the Operator Stages of Liebmann and Gershgorin and Their Application to the Mechanical Integration of Equations," S. S. Kovner, D. K. Zhak, 4 pp

"Dok Akad Nauk SSSR" Vol LVIII, No 1

Describes method of approximate integration with aid of operator stages, which is claimed to create new basis for practical solution of series of basic problems of mathmatical physics. Submitted by Academician A. N. Kolmogorov, 4 Apr 1947.

PA 52T44

ZHAK, D.;   TIRZBANURT, T.

Calculating Machines

State of mechanization in accounting and calculating, Vest. stat, No. 2, 1952.

Monthly List of Russian Accessions, Library of Congress, July 1952.  Unclassified.

ZHAK, David Konstantinovich; SIDEIKIN,N.P., redaktor; GRYAZNOV,V.I.,
tekhnicheskiy redaktor; MELENT'YEV,A.M., tekhnicheskiy redaktor

[Experience in mechanizing accounting in collective farms and
machine-tractor stations] Opyt mekhanizatsii ucheta v kolkhozakh
i MTS. Moskva, Gos. statisticheskoe izd-vo, 1955. 61 p.
        (Calculating machines)         (MIRA 9:3)

ISAKOV, Vasiliy Ivanovich; KOROLEV, Mikhail Antonovich; ZHAK,
     D.K., kand. ekon. nauk, retsenzent; TVERDOKHLEB, N.G.,
     retsenzent; CHIZHEVSKAYA, K.M., red.

     [Principles of designing the mechanization of accounting
     and planning work] Osnovy proektirovaniia mekhanizatsii
     uchetno-planovykh rabot.  Moskva, Statistika, 1965. 250 p.
                                        (MIRA 18:5)

BELAVENTSEVA, G.N., BOGATOVA, G.P., LEVINA,S.S., NASEDKINA, B.A., FOMINA, Ye.N., red.; ABRIKOSOVA, F.S., red.; AMBARTSUMYAN, red.; VASILEVSKAYA, V.A. red.; DROZDOVA, N.N., red.; ZHAK, D.K., red.; KOPELOVA, O.K., red.; LEVASHEVA, Z.P.,red.; SMIRNOVA, B.A., red.; TIMOSHENKO, G.G., red.; KHRENKOVA,A.A.,red.; KHELEMSKAYA, L.M., tekhn.red.

[Catalog for district libraries. Classes: Natural sciences - 5; Medecine- 61; Geography - 91] Katalog raionnoi biblioteki. Otdely: 5 estestvoznanie, 61 meditsina, 91 geografia. Izd. 3., dop. i perer. Moskva, 1958. 215 p.                     (MIRA 11:8)

1. Moscow. Publichnaya biblioteka.
          (Bibliography--medicine) (Bibliography--Geography)
          (Bibliography--Science)

ZASTENKER, Grigoriy Semenovich; ZHAK, D.K., kand. ekon. nauk, red.;
PRIVEZENTSEVA, A.G., red.; PYATAKOVA, N.D., tekhn. red.

[Planning machine accounting with the use of digital punched
card machines] Proektirovanie mekhanizirovannogo ucheta s
primeneniem tsifrovykh schetno-perforatsionnykh mashin; ucheb-
noe posobie dlia podgotovki proektirovshchikov mekhanizirovan-
nogo ucheta. Moskva, Gosstatizdat, 1963. 487 p.
(MIRA 16:8)
(Machine accounting) (Punched card systems)

ABRIKOSOVA, F.S.; AMBARTSUMYAN, Z.N.; VASILEVSKAYA, V.A.; DROZDOVA, N.N.;
     ZHAK, D.K.; KESSENIKH, V.N.; KOPELOVA, G.I.; LEVASHEVA, L.P.;
     SMIRNOVA, B.A.; TIMOSHENKO, G.G.; KHRENKOVA, A.A.; KHOVANSKIY,
     I.P., tekhn.red.

[Catalog of a district library] Katalog raionnoi biblioteki.
Section 6:[Technology] Tekhnika.  Isd. 3., dop. i perer.
Moskva, 1958.  263 p.                              (MIRA 12:2)

1. Moscow.  Publichnaya biblioteka.
          (Bibliography--Technology)

VOINOV, M.S.; KIRILLOV, G.N.; KOZLOVA, M.M.; CHZHAO, A.Ye. [Chao, A.E.];
      ABRIKOSOVA, F.S., red.; AMBARTSUMYAN, Z.N., red.; VASILEVSKAYA,
      V.A., red.; DROZDOVA, N.N., red.; ZHAK, D.K., red.; KISSENIKH, V.M.,
      red.; KOPELOVA, G.I., red.; LEVASHEVA, Z.P., red.; SMIRNOVA, B.A.,
      red.; TIMOSHENKO, G.G., red.; KHRENKOVA, A.A., red.; KHELIMSKAYA,
      L.M., tekhn. red.

      [Catalog for district libraries] Katalog raionnoi biblioteki.
      Sec.63. [Agriculture] Sel'skoe khoziaistvo. Izd.3., dop. i
      perer. Moskva. 1957. 163 p.                        (MIRA 11:8)

      1. Moscow. Publichnaya biblioteka.
                    (Bibliography--Agriculture)

ZHAK, G.

ZHAK, G.   Achievements and shortcomings of the Radio Club of Khaskovo
           District. p.8.


Vol. 4, no. 10, 1955
RADIO
TECHNOLOGY
Sofiya, Bulgaria



So:   East European Accessions, Vol. 5, no. 5, May 1956

ZHAK, G.

Concerning the Achievements and Weaknesses of the Khaskovo Country
Radio Club. "RADIO" Ministry of Communications, #10:8:Oct. 55

PHASE I BOOK EXPLOITATION                SOV/4348

Abdusalyan nauk SSSR. Komisiya po fiziko-khimicheskim osnovam proizvodstva stali

Primeneniye vakuuma v metallurgii (Use of Vacuum in Metallurgy) Moscow, Izd-vo
AN SSSR, 1960. 334 p. Errata slip inserted. 4,000 copies printed.

Sponsoring Agency: Akademiya nauk SSSR. Institut metallurgii imeni A.A. Baykova.
Komisiya po fiziko-khimicheskim osnovam proizvodstva stali.

Resp. Ed.: A.M. Samarin, Corresponding Member, Academy of Sciences USSR; Ed. of
Publishing House: O.M. Makovskiy; Tech. Ed.: S.G. Markovich.

PURPOSE: This collection of articles is intended for technical personnel interested
in recent studies and developments of vacuum steelmaking practice and equip-
ment.

COVERAGE: The book contains information on steel melting in vacuum induction fur-
naces, and vacuum arc furnaces. The functioning of apparatus and equipment, espe-
cially vacuum furnaces and vacuum booster pumps is also analyzed. Personalities are
mentioned in connection with some of the articles and will appear in the Table
of Contents. Three articles have been translated from English. Some of the
articles are accompanied by references.

ZHAK, I. YE.

PA 192064

USSR/Mathematics - Series, Convergence of  1951

"Absolute Convergence of Binary Fourier Series,"
I. Ye. Zhak, Stalingrad Pedagogic Inst

"Soob Ak Nauk Gruz SSR" Vol XII, No 3, pp 129-133

Hardy's theorem on the convergence of a sum of
coeffs of Fourier-Lebesgue function $f(x)$ is
shown to be applicable to binary Fourier-Lebes-
gue series in a definite sense.  Submitted
14 Oct 50 by V. D. Kupradze, Act Mem, Acad Sci
Georgian SSR.

LC                                              192T64

ZHAK, I.Ye.

Mathematical Reviews
Vol. 14 No. 11
Dec. 1953
Analysis

Zak, I. E.  On Riemann summability of double numerical series.  Soobščeniya ʿAkad. Nauk Gruzin. SSR 13, 587–593 (1952).  (Russian)

A double series $\sum a_{m,n}$ is evaluable to $L$ by the Riemann method $R(2, 2)$ if $\lim_{x, y \to 0} f(x, y) = L$ where

$$f(x, y) = \sum_{m, n=0}^{\infty} \left(\frac{\sin mx}{mx}\right)^2 \left(\frac{\sin ny}{ny}\right)^2 a_{m, n}$$

and is restrictedly evaluable to $L$ if, for each $\lambda > 1$, $f(x, y) \to L$ as $x, y \to 0$ subject to the restriction $\lambda^{-1} < |x/y| < \lambda$. Some convergent series $\sum a_{mn}$ having unbounded partial sums $S_{mn}$ fail to be evaluable $R(2, 2)$. It is shown that if $\sum a_{mn}$ converges to $S$ and if constants $K$, $\alpha$, $\beta$ exist such that $0 < \alpha$, $\beta < 1$ and $|S_{mn}| < K(m+1)^\alpha(n+1)^\beta$, then $\sum a_{mn}$ is restrictedly evaluable $R(2, 2)$ to $S$.    R. P. Agnew.

Stalingrad Pedagog. Inst. im. S. A. Serymovich

ZHAK, I. Ye.

PA 237T80

USSR/Mathematics - Binary Series          Nov/Dec 52

"Conjugate Binary Trigonometric Series," I. Ye.
Zhak, Stalingrad

"Matemat Sbor"  Vol 31 (73), No 3, pp 469-484

Generalizes A. Zygmund's study of ordinary Fourier
series $f(x)$ and its conjugate $\bar{f}(x)$ to subject case.
Concludes that results obtained can be transfered
to trigonometric series of arbitrary multiplicity.
States that Zygmund's study of the single case is
of sufficient thoroughness. Considers problem of
uniform convergence of binary case.  Submitted
Jan 52.

237T80

ZHAK, I. YE.

USSR/Mathematics - Adjoint Functions     21 Dec 52

"A Theorem of L. Cesari on Adjoint Functions of Two Variables," I. Ye. Zhak, Stalingrad Agricultural Inst

"DAN SSSR" Vol 87, No 6, pp 877-880

Until recently only one work, due to Cesari, has been devoted to properties of adjoint functions of two variables. Recently it was established that the principal theorem of this work is incorrect (proved in this article). At the same time it is demonstrated that I. I. Privalov's well known theorem for two variables (cf. A. Zygmund, Trigonometric Series) does not generally hold true. Presented by Acad N. A. Lavrent'yev 29 Oct 52.

240T85

FD-1022

USSR/Mathematics - Summation of double series

Card 1/1

Pub. 64 - 2/9

Author       :    Zhak, I. Ye.  (Stalingrad), and Timan, M. F. (Dnepropetrovsk)

Title        :    Summation of double series

Periodical   :    Mat. sbor., 35(77), No 1, 21-56, Jul-Aug 1954

Abstract     :    The authors remark that the problems of the summation of multiple
series have been still little investigated.  In the present work
they discuss the new concepts of bounded regularity and bounded
summability in connection with a study of the (C,a,b) and (A)
summations of double numerical series.  They also discuss the
problems of summing double trigonometric series, particularly
double Fourier-Lebesgue series.  Seventeen references, 11 USSR
(e.g. A. S. Bezlyudnyy, Dissertation, Dnepropetrovsk, 1949;
V. G. Chelidze, Soobshch. AN GruzSSR, VIII, No 6 (1947); I. I.
Ogiyevetskiy) and 6 Western (e.g. G. Robinson, 1926; K. Knopp,
1939; M. T. Cheng, 1942; O. Szasz, 1942; B. Prasad, 1933).

Institution  :    --

Submitted    :    15 December 1952

ZHAK, I. E.

UBSR/ Mathematics - Conjugated functions

Card        : 1/1

Authors     : Zhak, I. E.

Title       : Zygmund's theorem on conjugated functions

Periodical  : Dokl. AN SSSR, 97, Ed. 3, 387 - 389, July, 1954

Abstract    : Formulates I. I. Privalov's theorem for 2n-periodic functions, $f(x) \in$ Lip $\alpha$, when $0 < \alpha < 1$, and functions conjugated with the $f(x)$. Formulates the Zygmund theorem on the same functions. States that the Zygmund theorem is used in cases where $\alpha = 1$, when Privalov's theorem has no meaning. The author proves that Zygmund's and Privilov's theorems are not applicable to conjugated functions with two variables. Four references.

Institution : A. S. Serafimovich Pedagogical Institute in Stalingrad

Presented by : A. N. Kolmogorov, Academician, May 12, 1954

ZHAK, I.Ye.

Applications of S.N.Bernshtein's and I.I.Privalov's theorems.
Soob.AN Gruz.SSR 16 no.3:185-190 '55.          (MLRA 9:7)

1.Stalingradskiy gosudarstvennyy pedagogicheskiy institut imeni
A.S.Serafimovicha. Predstavleno deystvitel'nym chlenom Akademii
V.D.Kupradze.
        (Trigonometrical functions)

L 25631-66   EWT(d)   IJP(c)

ACC NR: AP6016070                    SOURCE CODE:  UR/0251/65/039/001/0015/0019

AUTHOR:  Zhak, I. Ye.

ORG:  Volgograd Institute for City Management Engineers (Volgogradskiy institut inzhenerov gorodskogo khozyaystva)

TITLE:  Properties of conjugate functions of two variables in the metric Lp (p is equal to or greater than 1)

SOURCE:  AN GruzSSR. Soobshcheniya, v. 39, no. 1, 1965, 15-19

TOPIC TAGS:  mathematics, function

ABSTRACT:     This article is a presentation of a proof of the following theorem:  If the function $f(x,y)$ ($2\pi$-periodic with respect to each of the variables) satisfies the following condition in the quadrant $B_0$: $0 \leq x \leq 2\pi$, $0 \leq y \leq 2\pi$

$$\chi(\delta_1, \delta_2; f) = 0(\delta_1^\alpha \delta_2^\beta) \qquad (\delta_1, \delta_2 \to 0),$$

where $0 < \alpha, \beta < 1$, $p \geq 1$), then $\bar{f}(x,y)$ also satisfies this condition in the entire rectangle $Q$: $\varepsilon_1 \leq x \leq 2\pi - \varepsilon_1$, $\varepsilon_2 \leq y \leq 2\pi - \varepsilon_2$ ($0 < \varepsilon_1$, $\varepsilon_2 < \pi$).

This paper was presented by Academician V. D. Kupradze.  Orig. art. has:  10 formulas.
[JPRS]

SUB CODE:  12  /  SUBM DATE:  24Aug64  /  ORIG REF:  001

Card  1/1 FV

ZHAK, I.Ye.

Properties of adjoint functions of two variables in the
$L_p$ ($p > 1$) metric. Soob. AN Gruz. SSR 39 no.1:15-19 Jl '65.
(MIRA 18:10)

1. Volgogradskiy institut inzhenerov gorodskogo khozyaystva.
Submitted August 24, 1964.

ZHAK, Isaak Yefimovich; VILENKIN, N.Ya., prof., red.; NEMTSOVA, L.G.,
red.; KORNEYEVA, V.I., tekhn.red.

[Differential calculus; textbook for pedagogical institutes]
Differentsial'noe ischislenie; uchebnoe posobie dlia pedagogi-
cheskikh institutov. Pod red. N.IA.Vilenkina. Moskva, Gos.
uchebno-pedagog.izd-vo M-va prosv.RSFSR, 1960.  403 p.

(MIRA 13:2)

(Calculus, Differential)

L 24472-66   EWT(m)/EWP(w)/T/EWP(t)   IJP(c)   JD/GS
ACC NR: AT6010575     (N)         SOURCE CODE: UR/0000/65/000/000/0064/0072

AUTHOR: Pogrebnoy, E. N.; Zhak, K. M.

ORG: Dnepropetrovsk Metallurgical Institute (Dnepropetrovskiy metallurgicheskiy institut)

TITLE: Intergranular deformation and fracture

SOURCE: AN UkrSSR. Mekhanizm plasticheskoy deformatsii metallov (Mechanism of the plastic deformation of metals). Kiev, Naukova dumka, 1965, 64-72

TOPIC TAGS: crystal deformation, ferroalloy, silicon alloy, material fracture

ABSTRACT: The authors study changes in dislocation structure during intergranular deformation and fracture and the possibilities for intergranular fracture in the early stages of deformation in alloys where the fractures may be decorated by graphite which is segregated more rapidly on the surfaces of pores and cracks than in a dense matrix. Specimens of ferrosilicon with 0.028-0.35% C and 2.90-3.35% Si were hardened and quenched in water. The specimens were 20 mm in diameter. Rapid cooling caused high thermal stresses resulting in considerable deformation. The

Card 1/2

L 24472-66
ACC NR: AT6010575

$O$

specimens were annealed at 650, 700, 750 and 800° with holding from 1 to 24 hrs.
Analysis of the dislocation structure in annealed specimens showed that intergranu-
lar deformation is accompanied by considerable accumulation of dislocations at the
grain boundaries. The dislocations form complex patterns in boundary regions and at
points where 3 grains come together. Intergranular deformation penetrates deeply
into the crystal. The nature of the intergranular deformation is complicated by
twins or slip bands at the contact boundary between 2 or 3 grains. At points of
juncture between a twin and an intergranular boundary, "flare-shaped" plastic defor-
mation regions are observed which spread out from the juncture deep into the adja-
cent grain. These flares consist of fibrous and branching slip lines which are
characteristic for metals with a bcc lattice. The dislocation density in these
zones is high and irregular. The experimental data indicate that cracks may be
formed during intergranular deformation. The dislocations which accumulate at the
grain boundaries during intergranular deformation and fracture are due to sources
located close to the grain boundaries. Orig. art. has: 6 figures.

SUB CODE: 11/ SUBM DATE: 04Sep64/ ORIG REF: 005/ OTH REF: 004

Card 2/2

GUREVICH, M.E., inzh.; ZHAK, L.B., inzh.

Economic efficiency of technological processes in forging.
Vest.mashinostr. 45 no.11:74-77 N '65.

(MIRA 18:12)

ZHAK, L.I. (Chelyabinsk)

Organization of cosmetic aid in Chelyabinsk Province. Vest. derm.
i ven. 38 no.3:73-74  Mr '64.                          (MIRA 18:4)

ZHAK, L.Y.

ANDREYEV, Georgiy Ivanovich; ZHAK, Lyubov' Yefimovna; POPELLO, A.P., red.;
GORDEYCHIK, G.M., red.; KOGAN, V.V., tekhn. red.

[Machine for separating fibers from waste] Mashina dlia vydeleniia
volikna iz uliuka. Pod red. A.P. Popello. Moskva, Gos. nauchno-
tekhn. izd-vo lit-ry po legkoi promyshl., 1958. 27 p. (MIRA 11:7)
                    (Cotton gins and ginning)

GLAVATY, V. [Hlavaty,V.]; ZHAK, M. [Zak, M.]

Possibility of determining the response of the organism to small
doses of ionizing radiation by examination of the phosphene thres-
hold of the retina. Med. rad. 8 no.11:47-50 N '63.

(MIRA 17:12)

1. Iz meditsinskogo fakul'teta Biofizicheskogo instituta Karlova
universiteta, Praga.

ACCESSION NR:  AP4003130                    S/0241/63/008/011/0047/0050

AUTHOR:  Glavaty*, V.; Diyenstbiyer, Z. (Docent, Doctor of medicine);
Zhak, M.

TITLE:  Possibility of determining the response of an organism ex-
posed to small doses of ionizing irradiation by estimating the
phosphene threshold of the retina

SOURCE:  Meditsinskaya radiologiya, v. 8, no. 11, 1963, 47-50

TOPIC TAGS:  small dose irradiation effect, retina phosphene
threshold, phosphene index, phosphene threshold measuring apparatus,
Motokawa diagnostic method

ABSTRACT:  Experiments were conducted over a 3 month period with 31
coworkers as subjects to test Motokawa's phosphene receptivity
threshold method.  With this method phosphene threshold values
reportedly rise with increased radiation doses.  Retina of the
subject was electrostimulated and phosphene threshold was measured by
a special square pulse source, assembled according to Motokawa's
specifications.  Phosphene threshold was measured again after the

Card 1/2

ACCESSION NR: AP4003130

subject's eye was X-irradiated with a 50 mr dose. On the basis of many repeated experiments Motokawa's method was found to be highly unreliable for determining a subject's reaction to small radiation doses. Only in 28.57% of the cases could radiation damage be established by a higher phosphene threshold index. Phosphene thresholds are found to fluctuate considerably for the same subject over a relatively short period of time, and phosphene threshold values for all the subjects display a wide range of individual differences. Accuracy of this method cannot be improved because phosphene receptivity is always a subjective process depending on the emotional and physical state of the subject. Orig. art. has: 4 figs.

ASSOCIATION: Meditsinskiy fakul'tet biofizicheskogo instituta Karlova Universiteta, Praga (Medical Department of the Biophysical Institute of Charles University)

SUBMITTED: 03Mar62          DATE ACQ: 20Dec63                    ENCL: 00

SUB CODE: AM                 NO REF SOV: 001                     OTHER: 003

Card 2/2

USTINOV, A.Ya.; ZHAK, N.F.

    Using carbon dioxide to combat rodents at the Orekhovo-Zuyevo
Cold Storage plant.  Khol. tekh. 38 no.6:50-51 N-D '61.

                                            (MIRA 15:1)

      (Orekhovo-Zuyevo--Cold storage warehouses)
            (Rodent control)

ZHAK, R.M.

Krasov, V.M. (Cand. of Biol. Sci), Fomina, A. Ya., Zhak, R.M., and Kudryavtseva, T.P.
(Candidates of Vet Sci).

"Isolation of the Fowl Pseudoplague Virus from Amniotic and Allantoic Fluids of Embryos
by the V.I. Tovarnitskiy's Reagent,"

SO: Trud VIEV, Vol 18, 1951.

ZHAK, R.M. ( Cand. Vet. Sci)

"Modifications of the Composition and Properties of the Blood ∮ in Fowl Pseudoplague,"

SO:  Trud VIEV, Vol 18, 1951.

ZHAK, R.M.   (Cand. Vet. Sci.  Sen. Sci. Assoc., VIEV)

"Prenatal Diagnosis of Paratyphoid of Calves with the  Aid of Agglutination Reaction,"

SO:  Trud VIEV, Vol 18, 1951.

ZHAK, K.M.

AGAPOV, S.I.; FOMINA, A.Ya.; ZHAK, R.M.; POLYAKOVA, O.A.

Results of field tests of virus-vaccine against Newcastle disease
in poultry. Veterinariia 31 no.2:26-28 F '54.          (MLRA 7:2)

1. Vsesoyuznyy institut eksperimental'noy veterinarii.
                                        (Poultry--Diseases)

ZHAK, S., kand.tekhn.nauk

Unified precast reinforced concrete framework for large public
buildings. Zhil. stroi. no. 3:10-16 Mr '61.        (MIRA 14:4)
(Precast concrete construction)  (Public buildings)

ZHAK, S., kandidat tekhnicheskikh nauk.

Progressive construction for Moscow buildings. Stroi. mat.,
izdel. i konstr. 2 no.8:3-6 Ag '56.
(MLRA 9:10)

1. Nachal'nik Tekhnicheskogo otdela Glavmoszhelezobetona.
(Moscow--Building)

ZHAK, S.

Bubble screen. Znan.sila 31 no.9:32  S '56.     (MLRS 9:10)
        (Waves, Calming of)

ZHAK, S.

It is time to use tower cranes on elevator building projects.
Muk.-elev. prom. 20 no.4:26 Ap '54.              (MLRA 7:7)

1. Ukrzagotstroy.
     (Grain elevators) (Cranes, derricks, etc.)

ZHAK, S.M., kand.tekhn.nauk

Efficient construction elements of public buildings for
mass construction. Izv.ASiA no.3:99-120 '59.
(MIRA 13:6)
(Public buildings) (Precast concrete construction)

ZHAK, S.M., kandidat tekhnicheskikh nauk.

Temper and rated strength of concrete in precast reinforced and plain concrete elements. Bet.i zhel.-bet. no.11:404-405 N '56.
(Concrete)
(MLRA 9:12)

ZHAK, S. M.

32449.   Shlyapin, B. B.   Eksperimental'nyy kirpichnyy dvukhetazhnyy dom v Likhoborakh.
Materialy.i konstruktsii v sovrarkhitekture, No. 3, 1949, s. 75-83.

SO:  Letopis' Zhurnal'nykh Statey Vol. 44

ZHAK, S.M., kand.tekhn.nauk

Precast concrete framework with compound joints for structures
serving various purposes. Izv.ASiA 4 no.1:63-72 '62. (MIRA 15:11)
(Precast concrete construction)

ZHAK, S. P.

N-Contagion Hospital, (-1944-).

"Neil-Felix's reaction in one vaccinated with Krontovskaya's typhus vaccine."

Zhur. Mikrobiol., Epidemiol., i Immunobiol., No. 1-2, 1944.

ZHAK, S.P.

Utilization of antibacteriophagic serum for improved method of
bacteriologic diagnosis of dysentery. Mikrobiol. zh., Kiev 15 no.1:
72-76 1953.                                          (CIML 25:5)

1. Of the Department of Microbiology of Odessa Medical Institute.

ZHAK, S.P.

USSR

The effect of Clostridium perfringens toxin on phagocytosis. S. M. Minervin, K. I. Chervyakova, and S. P. Zhak (Sci. Research Inst. Vaccine and Serums, and Med. Inst., Odessa). Mikrobiol. Zhur., Akad. Nauk Ukr. R.S.R. 16, No. 3, 85-9(1954)(Russian summary).—C. perfringens toxin, 18 days old, lowers the phagocytic properties of leucocytes of guinea pigs and rabbits. Specific antitoxic serum restores the level of phagocytosis in some instances. The degree of phagocytic activity depression differs with the toxins of different perfringens strains. Heat-inactivated toxin has no effect on the phagocytic properties of leucocytes. Rabbit leucocytes are more sensitive to the toxin than are those of guinea pigs. The unfavorable effect on phagocytosis of perfringens toxin 5 and 48 hours old is slight.                                   R. S. Levine

MINERVIN, S.M.; ZHAK, S.P.; CHERVYAKOVA, K.I.

Effect of tissue extracts from areas injured by gas  infection on
phagocytosis. Mikrobiol.zhur. 16 no.4:78-81 '54.        (MLRA 10:1)

1. Z Kafedri mikrobiologii Odes'kogo medichnogo institutu.
    (PHAGOCYTOSIS)    (GANGRENE)    (TISSUE EXTRACTS)

MINERVIN, S.M.; ZHAK, S.P.; CHERVYAKOVA, K.I.

Observations on the sensitizing action of botulin toxin. Zhur,
mikrobiol.epid.i immun. no.5:48-53 My '55.                    (MLRA 8:7)

1. Iz kafedry mikrobiologii (zav. prof. S.M.Minervin) Odesskogo
meditsinskogo instituta imeni Pirogova (dir.-prof. I.Ya.Deyneka)
i Odesskogo instituta vaktsin i syvorotok imeni I.I.Mechnikova.
(dir.-dotsent N.D.Anina-Radchenko).
        (TOBULISM,
            toxin, sensitizing action)

ZHAK S.P.

MINERVIN, S.M.; ZHAK, S.P.

Studies on the role of Bac. oedematiens toxin in experimental gas
gangrene; effect of the toxin on phagocytosis. Mikrobiol. zhur.
17 no.2:22-28 '55                                    (MLRA 10:5)

1. Z kafedri mikrobiologii Odes'kogo medichnogo institutu.
      (CLOSTRIDIUM, infections,
            novyi, causing exper. gangrene, eff. of toxin on
            phagocytosis) (Uk)
      (GAS GANGRENE, experimental,
            prod. with Clostridium novyi, eff. of toxin on phagocytosis)
      (PHAGOCYTOSIS,
            eff. of Clostridium novyi toxin in exper. gas gangrene)

ZHAK, S.P.

Combined action of hemotoxins of Clostridium perfringens and oedematiens. Zhur.mikrobiol.epid. i immun. 27 no.12:61-64 D '56.     (MIRA 10:1)

1. Iz kafedry mikrobiologii Odesskogo meditsinskogo instituta imeni N.I.Pirogova.
          (ESTERASES,
                Clostrium perfringens toxin with hemotoxin of Cl.
                oedenatiens, hemolytic action (Rus))
          (CLOSTRIDIUM,
                oedenatiens toxin, with Cl. perferingens toxin,
                hemolytic action (Rus))
          (HEMOLYSIS,
                by Clostrium perfreingens with Cl. oedematiens toxins (Rus))

ZHAK, S.P.

Combined effect of toxins of Clostridium perfringens and Vibrion
aptique. Zhur.mikrobiol.epid. i immun. 28 no.6:73-78 Je '57.
(MIRA 10:10)
1. Iz kafedry mikrobiologii Odesskogo meditsinskogo instituta
imeni N.I.Pirogova.
(CLOSTRIDIUM PERFRINGENS,
toxin, combined eff. with Cl. septicum toxin (Rus))
(CLOSTRIDIUM,
septicum toxin, combined eff. with Cl. perfringens
toxin (Rus))

ZHAK, S.P.

MINERVIN, S.M.; ZHAK, S.P.

Combined effect of hemotoxins of Clostridium perfringens and
oedematiens in the organisms of experimental animals. Zhur.
mikrobiol.epid. i immun. 28 no.11:99-103 N '57.          (MIRA 11:3)

1. Iz Odesskogo meditsinskogo instituta imeni Pirogova.
      (CLOSTRIDIUM PERFRINGENS,
           toxin, eff. on animal organism, with Clostridium
           oedematiens toxin (Rus)
      (CLOSTRIDIUM,
           oedematiens toxin, eff. on animal organism, with
           Clostridium perfringens toxin (Rus)

MINERAVIN, S.M.; ZHAK, S.P.

    Observations on specific therapy of mixed experimental infection
    caused by Clostridium perfringens and oedematiens. Zhur., mikrobiol.
    epid. i immun. 41 no.3:114-118 Mr '64.         (MIRA 17:11)

    1. Odesskiy meditsinskiy institut imeni Pirogova.

ZHAK, S.P.

Some data in favor of the enzymatic nature of the toxins of
Clostridium perfringens and oedematiens. Zhur. mikrobiol.,
epid. i immun. 42 no.11:65-69  N '65.                (MIRA 18:12)

1. Odesskiy meditsinskiy institut imeni Pirogova. Submitted
April 6, 1964.

L 27198-66    EWT(1)/T    JK

ACC NR: AP6017457                                    SOURCE CODE:  UR/0016/66/000/001/0115/0117

AUTHOR:  Minervin, S. M.; Zhak, S. P.

ORG:  Odessa Medical Institute im. N. I. Pirogov (Odesskiy meditsinskiy institut)

TITLE:  Effect of Aspergillus terricola protease on the lethal properties of type A Clostridium perfringens toxin

SOURCE:  Zhurnal mikrobiologii, epidemiologii i immunobiologii, no. 1, 1966, 115-117

TOPIC TAGS:  enzyme, mouse, bacteriology, bacteria

ABSTRACT:  Aspergillus terricola protease was added to Cl. perfringens, Type A, in five series of in vitro and three series of in vivo tests to prove the theory that exotoxins intensify the effects of toxins by transforming inactive protoxins into active toxins, an hypothesis based on the fact that certain toxins, particularly those of gas bacilli, are complexes of various enzymes. No clear results were obtained from the in vitro tests. The toxin and enzyme were dissolved in buffer solutions of pH 5.0, 7.0 and 8.5, and administered to white mice intravenously either immediately or after 15, 30, 60, 90 or 120 minutes in a thermostat. Doses were 1, 0.6 and 0.25 Dlm. At pH 5.0 and 7.0 Aspergillus terricola protease intensified the lethal effects of Cl. perfringens, Type A, when administered immediately and after 15 and 30 minutes in the thermostat. The toxin partially disintegrated at pH 8.5 and with periods in the thermostat of one hour or more. Orig. art. has: 1 table. [JPRS]

SUB CODE:  06  /  SUBM DATE:  14Jan65  /  ORIG REF:  015  /  OTH REF:  006

Card 1/1          UDC:  576.851.555.097.29.097:21:582.282.123.4-119:577.156.7

L 28426-66  ENT(1)/T  JK

ACC NR: AP6019116                          SOURCE CODE: UR/0016/65/000/011/0065/0068

AUTHOR: Zhak, S.P.

ORG: Odessa Medical Institute im. N. I. Pirogov (Odesskiy meditsinskiy institut)

TITLE: Some evidence in favor of the enzymatic nature of Clostridium perfringens and oedematiens toxins

SOURCE: Zhurnal mikrobiologii, epidemiologii i immunobiologii, no. 11, 1965, 65-68

TOPIC TAGS: enzyme, bacteria, bacteriology

ABSTRACT: The hemolytic and lethal activity of some dry Cl. perfringens toxins was intensified by one hour of incubation at 37°. Elevation of the temperature altered the hemolytic activity of Cl. perfringens and oedematiens toxins and mixtures of the two. The fact that temperature influenced the activity of the toxins was regarded by the author as an indication of their enzymatic nature. The hemolytic and lethal functions of the toxins were destroyed in mixtures incubated for several hours, apparently due to the action of the proteases of these toxins. This is additional proof of their enzymatic nature. Orig. art. has: 4 tables. [JPRS]

SUB CODE: 06/ SUBM DATE: 06Apr64 / ORIG REF: 004/ OTH REF: 009

Card 1/1                                     UDC: 576.851.555.097.29:577.15

MINERVIN, S.M.; ZHAK, S.P.

Effect of Aspergillus terricola protease on the lethal proper-
ties of the toxin of Clostridium perfringens type A. Zhur.
mikrobiol, epid. i immun. 43 no.1:115-117  Ja '66. (MIRA 19:1)

1. Odesskiy meditsinskiy institut imeni N.I. Pirogova. Submitted
January 14, 1965.

ZOLOTYKH, V.T., kand. tekhn. nauk; ZHAK, S.V., kand. fiz.-matem., nauk;
GUFAN, R.M., inzh.; BELOUSOV, Yu.G., inzh.

Mechanism of striking the welding arc. Svar. proizv. no.2:4-6
F '65.                                              (MIRA 18:3)

1. Rostovskiy-na-Donu institut sel'skokhozyaystvennogo mashino-
stroyeniya.

ZHAK, S.V., kand. fiziko-matem. nauk

Designing belt-type grain handling machines. Izv. vy".
ucheb. zav.; mashinostr. no.2:115-124 '63.   (MIRA 16:8)

1. Rostovskiy institut sel'skokhozyaystvennogo mashino-
stroyeniya.